

# Wolmanized® Residential Outdoor® Wood Limited Warranty

This is your limited warranty certificate (“Warranty”) covering your use of Wolmanized® Residential Outdoor® Wood (herein known as Wolmanized® Wood) for as long as you own your home or farm.

You must attach receipt and labels for this Warranty to be valid. When used as part of a residential or agricultural structure located in Canada, subject to the conditions contained in this Warranty, your Wolmanized® Wood is warranted against damage caused by termites or fungal decay, which make the lumber unfit for the applications for which it was intended. The Wolmanized® Wood is only intended to be used in an application consistent with the end use identified on its label or stamp (“Permitted Use”).

This Warranty is good from the date of purchase for as long as you own the property on which your new Wolmanized® Wood structures are built. This Warranty is not transferable. The original consumer purchaser will be entitled to receive new Wolmanized® Wood in exchange for wood damaged by termites or fungal decay. For this Warranty to apply, the original consumer purchaser must be the end user of the Residential Outdoor® Wood, and must be an individual (i.e. this Warranty is not applicable to corporations).

To make arrangements for exchange of Wolmanized® Wood, the original consumer purchaser must send sufficient Warranty labels, along with the original purchase invoice, showing the date of purchase and showing that a sufficient amount of Wolmanized® Wood has been purchased to cover the number of board feet claimed to be damaged. If Wolmanized® Wood was purchased for more than one Permitted Use (e.g., Above Ground and Ground Contact Wolmanized® Wood), the original consumer purchaser must provide end tags for each type of Permitted Use.

Such Wolmanized® Wood should be sent to warrantor at:

Wolmanized® Residential Outdoor® Wood Warranty  
Arch Wood Protection Canada Corp.  
2000 Argenta Road, Plaza 4, Suite 306  
Mississauga, Ontario L5N 1V9  
1-800-387-8349  
In Toronto: 905-826-9648

When making any Warranty claim, you may be required to send photographs and pieces of damaged Wolmanized® Wood. In addition, at the warrantor’s request, the warrantor and its representatives and agents must be permitted to inspect and test the damaged structure and Wolmanized® Wood.

Warrantor shall not be liable under this Warranty for damage to Wolmanized® Wood used (i) in foundation systems or in framing (such as the Permanent Wood Foundation, piling, or post frame type construction using round poles or heavy timbers); (ii) in swimming pool sidewalls, (iii) as fence posts, vineyard stakes or tree supports in agricultural applications; (iv) immersed in salt water, (v) for commercial or industrial projects, (vi) in commonly owned property such as condominiums, or cooperatives that are owned in common with others, (vii) for an application or in a way that is not consistent with the end use identified on its label or stamp; or (viii) damage that does not render Wolmanized® Wood structurally unfit for Permitted Uses.

The only obligation of the warrantor under this Warranty is to provide Wolmanized® Wood replacing the Wolmanized® Wood damaged or destroyed by termite or fungal decay. This Warranty does not cover Wolmanized® Wood damaged due to any other reason other than termites or fungal decay. Warrantor shall not be liable for any installation or reinstallation costs, or for the natural characteristic of some wood to split, warp, or twist, or for any direct, indirect, incidental or consequential damages of any kind whatsoever or howsoever caused (regardless of whether due to any deficiency or negligence in the manufacturing of the

Wolmanized® Wood). To the extent permitted by applicable law, Warrantor has no further liabilities or obligations whether in contract, tort statutory or otherwise, except as expressly stated herein.

This Warranty extends only to Wolmanized® Wood products pressure treated with copper azole preservative to required retention levels for ABOVE GROUND DECKING, ABOVE GROUND GENERAL USE, and GROUND CONTACT Permitted Uses and used in residential or agricultural applications allowed by this Warranty. All Wolmanized® Wood products pressure treated with copper azole preservative must be treated in accordance with Arch Wood Protection standards.

Any crosscutting of Wolmanized® Wood will invalidate this Warranty. In the event that Wolmanized® Wood is cut, Warrantor will not be liable hereunder unless two coats of an end cut preservative (containing a minimum of 1% copper) are applied to any cut ends. Proof of purchase of the end cut preservative must be retained and provided to the Warrantor on request as well as confirmation of its application to cut ends.

By purchasing Wolmanized® Residential Outdoor® Wood you accept this Warranty and hereby acknowledge that this Warranty replaces all other representations, warranties, guarantees, terms, covenants, agreements, promises, commitments, duties of care or conditions (“Representations”), expressed or implied, statutory or otherwise, including, without limitation, any warranty of merchantability or fitness for a particular purpose, quality or suitability, and there are no other Representations whatsoever with respect to Wolmanized® Wood except the specific warranty given hereunder. Only the Warrantor is liable under this limited warranty and its directors, officers, employees, and agents shall have no liability of any kind to you or to others with respect to your purchase or use of Wolmanized® Wood.

**Wolmanized® Outdoor® wood.**  
It's tough enough to stand up to termites and fungal decay, and gentle enough for our most delicate natural environments. Plus, it gives you the natural beauty of wood.

For more information about **Wolmanized® Residential Outdoor® wood**, including building plans and tips for many popular backyard projects call:

**1-800-387-8349**

or visit

**www.LonzaWoodProtection.com**

## LIFETIME LIMITED WARRANTY

Covering your use of Wolmanized® Residential Outdoor® wood for as long as you own your home or farm.

This is your lifetime limited warranty certificate covering your use of Wolmanized® Residential Outdoor® Wood (herein known as Wolmanized® Wood) for as long as you own your home or farm. You must attach receipt and labels for this warranty to be valid.

When used as part of a residential or agricultural structure located in Canada, subject to the conditions contained in this Warranty, your Wolmanized® Wood is warranted against damage caused by termites or fungal decay, which make the lumber unfit for the applications for which it was intended. The Wolmanized® Wood is only intended to be used in an application consistent with the end use identified on its label or stamp.

This warranty is good from the date of purchase for as long as you own the property on which your new Wolmanized® Wood structures are built. This warranty is not transferable. The original consumer purchaser will be entitled to receive new Wolmanized® Wood in exchange for wood damaged by termites or fungal decay. For the lifetime limited warranty to apply, the original consumer purchaser must be the end user of the Residential Outdoor Wood, and must be an individual (i.e. the warranty is not applicable to corporations).

To make arrangements for exchange of Wolmanized® Wood the original consumer purchaser must send sufficient warranty labels, along with the original purchase invoice, showing the date of purchase and showing that Wolmanized® Wood has been purchased to cover the number of board feet claimed to be damaged to warrantor at:

Wolmanized® Residential Outdoor® Wood Warranty  
Arch Wood Protection Canada Corp.  
2000 Argenta Road, Plaza 4, Suite 320 • Mississauga, Ontario L5N 1V9  
1-800-387-8349 • In Toronto: 905-826-9648

When making any warranty claim you may be required to send photographs and pieces of damaged Wolmanized® Wood. In addition, at the warrantor's request, the warrantor and its representatives and agents must be permitted to inspect and test the damaged structure and Wolmanized® Wood.

Warrantor shall not be liable under this warranty for damage to Wolmanized® Wood used (i) in foundation systems (such as the Permanent Wood Foundation, and piling, pole or heavy timber type residential construction); (ii) in swimming pool sidewalls, (iii) as fence posts, vineyard stakes or tree supports in agricultural applications; (iv) immersed in salt water, (v) for commercial or industrial projects, (vi) in commonly owned property such as condominiums, or cooperatives which are owned in common with others, (vii) for an application or in a way that is not consistent with the end use identified on its label or stamp.

The only obligation of the warrantor under this warranty is to provide replacement of Wolmanized® Wood, for the Wolmanized® Wood damaged or destroyed by termite or fungal decay. This warranty does not cover Wolmanized® Wood damaged due to any other reason other than termites or fungal decay. Warrantor shall not be liable for any installation or reinstallation costs, or for the natural characteristic of some wood to split, warp, or twist, or for any direct, indirect, incidental or consequential damages of any kind whatsoever / howsoever caused (whether or not due to any deficiency or negligence in the manufacturing of the Wolmanized® Wood). To the extent permitted by law, Warrantor shall have no further liabilities or obligations whether in contract, tort statutory or otherwise, except as expressly stated herein.

This warranty extends only to Wolmanized® Wood products pressure treated with copper azole preservative to required retention levels for ABOVE GROUND DECKING, ABOVE GROUND GENERAL USE, and GROUND or FRESH WATER CONTACT and used in residential or agricultural applications allowed by this warranty. All Wolmanized® Wood products pressure treated with copper azole preservative must be treated in accordance with Arch Wood Protection standards.

Any cross cutting of Wolmanized® Wood will invalidate this warranty. In the event that Wolmanized® Wood is cut, Warrantor will not be liable hereunder unless two coats of an end cut preservative (containing a minimum of 1% copper) are applied to any cut ends. Proof of purchase of the end cut preservative must be retained and provided to the Warrantor on request as well as confirmation of its application to cut ends.

By purchasing Wolmanized® Residential Outdoor® Wood you accept this Warranty and hereby acknowledge that this Warranty replaces all other representations, warranties, guarantees, terms, covenants, agreements, promises, commitments, duties of care or conditions ("Representations"), expressed or implied, statutory or otherwise, including, without limitation, any warranty of merchantability or fitness for a particular purpose, quality or suitability, and there are no other Representations whatsoever with respect to Wolmanized® Wood except the specific warranty given hereunder. Only the Warrantor is liable under this limited warranty and its directors, officers, employees, and agents shall have no liability of any kind to you or to others with respect to your purchase or use of Wolmanized® Wood.

© 2016, Arch Wood Protection Canada Corp., a Lonza company

Wood Treated Right™



**Wolmanized®**  
**Residential**  
**Outdoor® Wood**

**www.WolmanizedWood.com**



Copper azole treated wood from the Wolmanized® wood family of products

- Real wood
- Long lasting
- Trusted name

Wolmanized® Residential Outdoor® wood combines the natural beauty of real wood with a next-generation preservative and a lifetime limited warranty against termites and fungal decay.

Proven after a decade across four continents, Wolmanized® wood is ideal for decking, railing and structural deck components, playgrounds, other backyard projects, and freshwater immersion applications.

Wolmanized® wood can be painted or stained. It's more economical than cedar or durable grades of redwood and plastic composites. And it's made from a renewable resource that's treated to last for decades, reducing demands on forests.

This wood features the many environmental benefits of real wood.

### Building Tips

- Check the lumber end-tag. Make sure that the intended use shown on the tag matches your application.
- For 2" lumber, use 3 1/4" nails or 3" screws. For 5/4 decking, use 3" nails or 2 1/2" screws.



### Maintenance Tips

- No maintenance is needed to renew resistance to fungi and termites. Wolmanized® wood has a lifetime limited warranty against these organisms.
- To help protect your project against moisture damage, apply an effective brand of water repellent as soon as your project is finished or, for large projects, as sections are completed.
- Water repellent should be re-applied every year or two.
- To revitalize a dingy appearance caused by dirt, mildew and mold, use deck brightener to clean the wood.

### Recommended Hardware

The minimal corrosivity of Wolmanized® wood is similar to that of traditional treated wood. Hot-dipped galvanized fasteners (meeting ASTM A 153) and connectors (ASTM A 653 Class G185 sheet), or better, are recommended for protection against the effects of moisture often present where treated wood is used. For Permanent Wood Foundations and applications that are continually wet or exposed to salt water splash, salt air, or chemical exposure, use 304 or 316 stainless steel. ALUMINUM should not be used in direct contact with this wood.

### Safety Information

This wood has been preserved by pressure-treatment with a PMRA-registered pesticide, copper azole\*, to protect it from termite attack and fungal decay. Wood treated with any preservative should be used only where such protection is important.

In the treating process, copper azole penetrates into the wood where it remains for a long time. However, some chemical may migrate from preserved

wood into surrounding soil over time and may also be dislodged from the wood surface upon contact with skin. Exposure to copper azole may present certain hazards. Therefore, the following precautions should be taken both when handling the preserved wood and in determining where to use and dispose of it. Many of these precautions also apply to untreated wood and other building materials.

### Use Site Precautions

- All sawdust and construction debris should be cleaned up and disposed of after construction.
- Do not use treated wood under circumstances where the preservative may become a component of food or animal feed.
- Only treated wood that is visibly clean and free of surface residue should be used where contact is likely.
- Do not use treated wood for construction of those portions of beehives which may come into contact with honey.
- Treated wood should not be used where it may come into direct or indirect contact with drinking water.

### Handling Precautions

- Dispose of treated wood by ordinary trash collection. TREATED WOOD SHOULD NOT BE BURNED.
- Avoid frequent or prolonged inhalation of sawdust from wood, treated or untreated.
- When sawing, sanding, and machining wood, wear a dust mask. Whenever possible, these operations should be performed outdoors.
- When power-sawing and machining, wear goggles to protect eyes from flying particles.
- Wear gloves when working with wood. Use proper techniques when lifting.
- After working with wood, and before eating, drinking, toileting, or using tobacco products, wash exposed skin areas thoroughly.
- Because preservatives or on clothes, they should be laundered before reuse.
- Wash work clothes separately from other household clothing.

\* The active ingredients in copper azole are copper and tebuconazole.

