



wallplanks™

A FromTheForest product



PEWTER

WALLPLANKS CAN BE INSTALLED VERTICALLY, HORIZONTALLY OR DIAGONALLY AND ARE AN ARCHITECTURAL ELEMENT THAT WILL TRANSFORM YOUR SPACE.

RUSTIC CHARM OR UNDERSTATED COSMOPOLITAN WALLPLANKS ARE SUITED FOR BOTH RESIDENTIAL OR COMMERCIAL INTERIORS.



COBALT


STICK TO YOUR STYLE



ALABASTER



PICKET FENCE



ALMOND



DUSK

CONSTRUCTION: 3 PLY CONSTRUCTION WITH WOOD FIBER CORE AND HARDWOOD BACKER

FINISH: 3 COAT UV MATT FINISH OR A PATENT PENDING, STAIN PIGMENT INFUSING PROCESS THAT CREATES A CONSISTENT RENDITION OF VARIES SPECIES.

SPECIES: BACKER VENEER: NORTHERN HARD MAPLE; TOP VENEER: WHITE OAK, MAPLE, OR WALNUT

DIMENSIONS: 1/4" THICKNESS, 5.1" WIDTH, RL 12" TO 48" LENGTHS (80% FULL LENGTH)

CORE: HIGH DENSITY WOOD FIBER BOARD MADE WITH 100% RECYCLED FOREST CONTENT.


TEXTURE: SMOOTH OR BRUSHED DEPENDING ON PATTERN


EDGE PROFILE: SHIP LAP JOINT WITH MICRO BEVEL

INSTALLATION: PEEL AND STICK

FIRE RATING: (ASTM E 84) 100 CLASS C

TRIM: MATCHING TRIM AVAILABLE IN ALL SKUS





ALABASTER



NATURAL MAPLE




BISCUIT




CALICO



COBALT



NATURAL WALNUT



UMBER



CALICO

STYLE IS A REFLECTION OF YOUR PERSONALITY. URBAN INDUSTRIAL, MID-CENTURY MODERN, OR FARMHOUSE RUSTIC.

WALLPLANKS OFFER AN AFFORDABLE WAY TO MAKE A BIG IMPACT IN THE DESIGN OF YOUR SPACE. WHATEVER YOUR STYLE, WALLPLANKS HAS YOU COVERED.



MAPLE



NORMANDY



DUSK



ALMOND



NORMANDY



BACKCOUNTRY



PEWTER



ZEBRA



PICKET FENCE



BACKCOUNTRY

THE 3 LAYERED ENGINEERED PLANK USES A HIGH DENSITY FIBERBOARD CORE THAT IS SANDWICHED BETWEEN TWO HARDWOOD VENEERS AND HAS A PRECISION SHIP LAP JOINT MILLED ON ITS LONG SIDES. THE RESULT IS A LIGHT AND STABLE PLANK THAT IS ONLY $\frac{1}{4}$ " THICK, YET 5.1" WIDE, WITH LENGTHS FROM 12" TO 48".



ZEBRA



A PATENT PENDING PROCESS OF INFUSING STAIN PIGMENTS INTO HARDWOOD VENEERS IS USED IN THIS COLLECTION TO CREATE NUMEROUS RENDITIONS OF THE RECLAIMED OR EXOTIC WOOD DESIGN.

TO PROTECT THE SURFACE, A UV CURED, LOW GLOSS FINISH IS APPLIED. THE WALL IS THEN EASILY MAINTAINED BY CLEANING WITH WATER AND A DAMP CLOTH.



NATURAL WALNUT



UMBER



BISCUIT

GET CREATIVE MAKE YOUR OWN



RAW WHITE OAK



EASY TO INSTALL

THESE ULTRA THIN PLANKS HAVE A PEEL AND STICK INDUSTRIAL BONDING TAPE ON THE BACK WHICH ALLOWS THEM TO BE EASILY MOUNTED TO VIRTUALLY ANY STRUCTURALLY SOUND FLAT SURFACE INCLUDING CEILINGS.

WITH JUST A COUPLE OF HAND TOOLS THE WALL CAN BE INSTALLED IN AN AFTERNOON WITHOUT THE NEED OF REMOVING BASEBOARDS, DOOR CASING OR REWORKING ELECTRICAL RECEPTACLES.

MATCHING TRIM PIECES ARE AVAILABLE FOR OPEN WALL APPLICATIONS LIKE CONTEMPORARY HEADBOARD WALLS AND CORNER TRIM PIECES THAT WILL GIVE THE PROJECT A PROFESSIONAL LOOK.

VISIT OUR WEBSITE FOR INSTALLATION INSTRUCTIONS AND A VIDEO

WWW.WALLPLANKS.COM

